State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Plant Well Approval Application

Form 3300-256 (R 7/05)

MAY 8 - 2014

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code (Personally, identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

more duplexes is regulated under ch. NR 8	11, Wis. Adm. Code. See NR 6			applicability requi	· · · · ·	·	
Applicant Information							
Application Prepared By (Name and Title)	Company						
MARY HOPP			Erts-1	MEATION) ("	, Du .	
Street Address	City			State	ZIP Code		
240 P.V. Box 449	1/2	ver	14 P	WI	54467		
Telephone Number. 715 3444 - 4747 Fax Number Fax Num							
Property Ownership Information	CONTRACTOR OF CO	elight leight start Geografia		handing a second			
Property owner, if different than applicant		Company					
POPE FARMS				*			
Street Address		City / / /	1 1	ZIP Code			
11/6912 PETERSON	Ro	Whitewater				53198	
Telephone Winder 215 8584 Col	Fax Number 495	2055	E-Mail Addr	ess			
The South of the stand of the	262-493-	30 10					
Well Operator Information		党上的编		14,114,108	A A SA	days Karmana aras	
Well operator if different than owner (Nam	e of Person and Title)	Company					
SAME							
Street Address		City			State	ZIP Code	
Telephone Number	Fax Number		E-Mail Addr	ess			
# 00 PETON # 00 00 00 PETON							
Property Information	<u> </u>						
Enter the High Capacity Wall File Number h	plow if the property is already a	high capacity	v property. If	the property is not	designa	ated as a high capacity	
property at the time of application, enter "NC	ONE " NOTE: Find the file numb	her in upper ri	ant hand corr	ner of the most re	cent nigi	capacity well approval,	
or use the compact disk of departmental we "Location" section. File number format is as	Il data that is issued to drillers a	ind pump insta i) - (1 digit for	allers. On the well classifica	ation) - (1 to 4 digi	ts for as	signed property no.).	
County /	Town	7 (1-1311-1		High Capacity W	ell File I	No.	
Walworth	e		103	594	5		
The state of the s	LA GrANGE				A A de red	THE GOVERNMENT OF STREET	
Submittal Purpose							
on on the man apply.							
Install one or more new wells with a capacity greater than 70 gallons per minute.							
Install one or more new wells with a capacity less than 70 gallons per minute on a high capacity property.							
Replace one or more wells with a capacity greater than 70 gallons per minute.							
Replace one or more wells with a capacity less than 70 gallons per minute on a high capacity property.							
Reconstruct one or more wells with a capacity greater than 70 gallons per minute.							
Reconstruct one or more wells with a capacity less than 70 gallons per minute on a high capacity property.							
Increase pumping rate in one or more wells to a rate greater than previously approved.							
Request continued operation of high capacity wells after a change in ownership. (No application fee required.)							
Renew a previous approval that has expired.							
Well (or wells) will serve a school or wastewater treatment plant. See definitions on page 5.							
Other, explain	vivi i suurinna kaika kaika kaika ka k						

		us Information						
and t	he in	e the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers formation supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm . Enter YES or NO for each owing questions.						
YES	NO	The property is not						
	Ż	Has there been a change in well ownership since the last approval was written? If YES, name of current owner: Date of purchase:						
		If (ES), figure of Confert Owner.						
	d	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:						
	卢	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.						
	Ø	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections.						
		If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)						
	P	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed: Open Closed						
	Ø	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:						
	Ø	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts . If YES, list the BRRTS Number here:						
	口	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.						
	ĮŹ	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.						
	Ø	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?						
	Ņ	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.						
	Ø	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?						
		Will the well discharge directly to a storage pond?						
		Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?						
		Is a proposed well within 1,200 feet of a quarry?						
	Ż	is a proposed well located in a floodplain or floodway?						
	Ø	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?						
	otag	Will the well be used as a source of bottled water?						
		Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?						
	\square	Is the property served by a community water system?						

Existing Well Information							<u> </u>		<u> </u>		<u> </u>
Enter the following information on	all existi	ng we	lls on the	property,	, if mor	e than fou	r wells, sut	mit add	ditional	sheets:	
Well Name Assigned by Well Owner (North Well, etc.):	House	eW	ell	Ŝh	op	Well					
Well Number Assigned by Owner (001, 002, etc.):					,						
WI Unique Well Number or NA if no number.											
Permanent DNR High Capacity Well Number or N/A if none:											
Public Water System ID Number, If Public (if not public, NONE):											
Potable or Non-Potable Use:											
Type of Well (Irrigation, Industrial, Residential, etc.):											
Requested Average Water Usage per Day in Gallons:											
Requested Maximum Water Usage per Day in Gallons:						- 1171					
Seasonal? (April to October, Year Around, etc.):		** **	A-4407 - 11								
Approved Pumping Capacity if Previously Approved (gpm):					. "						
Current Pump Type & Capacity (gpm):											
Proposed Pump Type & Capacity If Change Requested (gpm):									-		
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):											
Discharge Location (Building Pressure Tank, Pond, etc.):											
Height of Well Casing Above Ground in Inches:											
Potential Contaminant Sources and Distance:				•							
Well Loc: Quarter Quarter Section		1/4 of	1/4		1/4 of	1/4	1	/4 of	1/4	1/4	of 1/4
or Government Lot Number											
Section or French Long Lot No.											
Township:	Т		N	Т		N	Т		N	Т	N
Range (Select E or W):	R	Г		R		□E □w	R		E □w	R	□E □W
Latitude (Degrees and Minutes)		46			. 46	256			,	۰	,
Longitude (Degrees and Minutes)			.557				c		1	0	,
GPS Map Datum (WGS84,	000	<u> </u>	<u></u>	<u> </u>		<u>·= = = .</u>					
WTM91, etc.) Include as much of the following inform well construction record is attached, ap	l nation as pr oplicant ma	raclical	for wells to the follow	hat do not ving rows t	have w	vell construc	tion records	attache	d to the	application, he	owever if the
Date of Construction:											
Drilled by (Name of Drilling Firm):											
Drilling Method(s) (Rotary, Percussion, Etc.)											
Well Depth in Feet:											
Upper Enlarged Drillhole Diameter in Inches and Depth In Feet:	Inch	es,	feet	inc	hes,	feet	inche	s,	feet	inches,	feet
Lower Drillhole Diameter in Inches and Depth in Feet:	Inch	es,	feet	inc	hes.	feet	inche	s,	feet	inches,	feet
Well Casing Diameter In Inches and Depth In Feet:	inch	es,	feet	inc	hes,	feet	inche	s,	feet	inches,	feet
Well Casing Material and Wall Thickness:											
Annular Space Material Between Casing and Drillhole Wall:											
s There a Well Screen (Y or N) If so, Screen Material?:											

Proposed Well Information	. :					Table 1 1 1	1.4.5.5		
Enter the following information on al	l proposed well	on the proper	ty if more than	tuo well	le or alternate co	netruction	cubmit a	ditional ch	oote:
Well Name Assigned by Well Owner (North Well, etc.):	TRRIG.		ty, a more than	WO WE	is or anemale co.	1100000011	Submit at	TOTIONAL SIT	
Well Number Assigned by Owner (001, 002, etc.):),,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-	
Well Loc: Quarter Quarter Section or French Long Lot Number	Gester 1/4	SÉ 1/	4 of Section	 VO	1/4	of	1/4 of 5	Section	
or Government Lot Number									
Township & Range (Select E or W) _T 4	N, R /	6 DE	□w	т	N, R		Πε	Пи
Latitude (Degrees and Minutes)	47.		6690		1	<u> </u>			,
Longitude (Degrees and Minutes) GPS Map Datum (WGS84, WTM91, etc.)	0.88_ •	3	9.090	1)			1
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: Irrigi	Ation	Potab Non-F		Type:			Potabl Non-P	le otable
Drilling Method(s) (Rotary, Percussion, Etc.):									
Anticipated Geological Materials and I	Depths that Are Ex	pected During	Drilling:		I				
Material and Depth Interval:	Sound Clay &	mul from	0' to /5	50 .		fro	m	0 ' to	
Material and Depth Interval:	Sandstone	- from	150 10 2	50		fro	m	¹ to	
Material and Depth Interval:		from	' to	1		fro	m	' to	
Material and Depth Interval:		from	¹ to	1		fro	m	' to	
Material and Depth Interval:		from	' to	1		fro	m	' lo	
Drillhole Diameter and Anticipated Dej	oth Intervals:								
Diameter and Depth Interval:	16	from	U 16 2	70 ·		fro	m	' to	
Diameter and Depth Interval:		from	' to	1		fro	m	' to	
Diameter and Depth Interval:		from	' to			fro	<u>m</u>	' to	
Permanent Casing or Liner Diameter a	ind Wall Thickness	s at Anticipated		: /50					
Diameter and Wall Thickness at Depth Interval:	16 * diam/	375 * thick			" diam/	" (nick	0 ' to	
Diameter and Wall Thickness at Depth Interval:	" diam/	" thick	' to	†	" diam/	" tl	nick	' to	
Permanent Casing or Liner Material, I Casing Joints (Welded, T and C,	1 / 7				!				
etc.)	Welder	191001							
Material and Weight at Depth Interval:		/ lbs/fo	oot 0'to			/ 1	lbs/foot	0 ' to	1
Material and Weight at Depth Interval:		/ lbs/fo	oot 'to	,		/	bs/foot	' to	F
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:		1	"/ ' to			1	" /	' to	
Casing to Screen Joint (Welded, T and C, K Packer, etc.)	Kil								
Annular Space Material Including Filter		Jsed:							
Material and Depth Interval:	Beloute		0' to «	20 .				0 ' to	
Material and Depth Interval:		1	'_to	1			1_	¹ to	ı
Proposed Average Water Usage Per Day in Gallons:	864000	864,000		İ					
Proposed Maximum Water Usage Per	1,728 000								
Day in Gallons: Seasonal? (April to October, Year Around, etc.):	Apr. 1- C	Tet			·				
Proposed Pump Type & Capacity (gpm):	Turbine	1200							
Discharge Type (Over Top of Casing Seal, Pilless Adapter or Unit):	over top								
Discharge Location (Building Pressure Tank, Pond, etc.):	Irrig. Pi	pe							
Distance and Direction to Nearest Public Utility Well & Well Name:	Witeu	ater							
Distance to Other Potential	43	1.0 /-							
Contaminant Sources: Distance to Other Potential	10 pu., it	/IKAN							
Contaminant Sources:									
eave Blank, for Department use only									

Required Attachments

- 1. Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print Pope Farms	Ch	eck Box Owner Agent of the Owner
Signature Pane	Company	Date 4-28-1\$
Application submittal. Mail completed applicati Section - DG/2, PO Box 7921, Madison WI 53	on and payment with all required attachm 707-7921.	ents to DNR, Private Water Systems
Definitions from Wisconsin Administrative C	odes	

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]


"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

[&]quot;High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]



• FEED • SEED • FARM SUPPLIES • HOME HEATING FUELS
• LP GAS • DIESEL • GAS & OIL • GRAIN - DRYING, STORAGE & MARKETING
• FERTILIZER - CHEMICALS CUSTOM APPLICATION

CLINTON

PLUS INC.

CLINTON Fertilizer Plant ELKHORN

EAST TROY

WHITEWATER Fertilizer & Grain Plant (262) 473-2410 11

(608) 676-5722

(608) 676-5771

(262) 723-3150

(262) 642-6201